



Report No.: MND220029QD_CN(En)
Nomination No.: MCHTJ2200189-01

Safety Data Sheet (SDS)

Product Name: Ethylene Dichloride

Report Version: Prepared according to GB/T 17519-2013 and GB/T 16483-2008

Application Company Name: Tianjin Bohua Chemical Development Co.,Ltd.

Application Company Address: South Hongqi Road, East street 6, Nangang Industrial Zone, Tianjin, China

Contract Information: 022-89898105

24 Hour Emergency Call: 022-89898111

Report Edit time: 2022/2/21

SGS-CSTC Standards Technical Services(Qingdao) Co.,Ltd

Authorised Signatory

2022-2-21



The report would be invalid without authorized signature. The report shall not be reproduced except in full, without written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless otherwise agreed in writing, this document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Center, No.143, Zhuzhou Road, Laoshan District, Qingdao, Shandong, China
中国·山东·青岛市崂山区株洲路143号通标中心

t (86-0532) 68999367 www.sgsgroup.com.cn
t (86-0532) 68999367 sgs.china@sgs.com

SGS-CSTC Standards Technical Services (Qingdao) Co., Ltd.
Minerals Service

Member of the SGS Group (SGS SA)

Safety Data Sheet

Ethylene Dichloride

Version: V2.0.0.1

Report No.: MND220029QD_CN(En)

Nomination No.: MCHTJ2200189-01

Creation Date: 2022/02/18

Revision Date: 2022/02/18

*Prepared according to GB/T 17519-2013 and GB/T 16483-2008

1 Identification of the chemical and supplier

Product identifier

Product Name	Ethylene Dichloride
CAS No.	107-06-2
EC No.	203-458-1
Molecular Formula	C ₂ H ₄ Cl ₂

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier of the Safety Data Sheet

Name of the company	Tianjin Bohua Chemical Development Co.,Ltd.
Address of the company	South Hongqi Road, East street 6, Nangang Industrial Zone, Tianjin, China
Post code	—
Telephone number	022-89898105
Fax number	—
E-mail address	guozhiyi@bcig.cn

Emergency phone number

Emergency phone number	022-89898111
-------------------------------	--------------

2 Hazard(s) identification

Emergency overview

Liquid. Highly flammable, its vapor and air mixture can form explosive mixture. Irritating to skin. Serious irritating to eyes. Irritating to respiratory system. Slight risk of cancer.

Hazard classification according to GHS

Flammable Liquids	Category 2
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Irritation	Category 2A
Specific Target Organ Toxicity-Single Exposure: Criteria for respiratory tract irritation	Category 3
Carcinogenicity	Category 2

GHS Label elements

Hazard pictograms	
Signal word	Danger

Hazard statements

H225	Highly flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer

Precautionary statements

◆ Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe gas/mist/vapour/spray.
P264	Wash face and hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

◆ Response

P312	Call a POISON CENTER/doctor, if you feel unwell.
P321	Specific treatment (see on this label).
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/ attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use appropriate extinguishing media mentioned in Section 5 of the SDS to extinguish.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

◆ Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.

◆ Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
-------------	---

Hazard description

◆ Physical and chemical hazards

	Highly flammable liquids, its vapor and air mixture can form explosive mixture.
--	---

◆ Health hazards

Inhaled	Abdominal pain. Cough. Dizziness. Drowsiness. Headache. Nausea. Sore throat. Unconsciousness. Vomiting. Symptoms may be delayed .
Ingestion	Abdominal cramps. Diarrhoea. (Further see Inhalation).
Skin Contact	Redness.
Eye	Redness. Pain. Blurred vision.

◆ Environmental hazards

	Please refer to 12th chapter of SDS.
--	--------------------------------------

3 Composition/information on ingredients

Substance/mixture

	Substance
--	-----------

Component	CAS No.	EC No.	Concentration (wt, %)
Ethylene Dichloride	107-06-2	203-458-1	99.98

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
Skin contact	Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention.
Ingestion	Give nothing to drink. Refer for medical attention.
Inhalation	Fresh air, rest. Half-upright position. Artificial respiration may be needed. Refer for medical attention.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms, acute and delayed

1	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.
---	--

Advice for protecting the rescuer

1	Remove all sources of ignition and increase ventilation.
---	--

- | | |
|---|---|
| 2 | Avoid contact with skin and eyes. |
| 3 | Avoid inhalation of vapor or mist. |
| 4 | Use personal protective equipment including respirator. |

Special note to the doctor

- | | |
|---|--------------------------|
| 1 | Treat symptomatically. |
| 2 | Symptoms may be delayed. |

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Small Fire: Dry chemical, CO ₂ , water spray or alcohol-resistant foam; Large Fire: Water spray, fog or alcohol-resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter or spread fire.

Specific hazards arising from the substance or mixture

- | | |
|---|---|
| 1 | Will form explosive mixtures with air. |
| 2 | Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/or vapour concentration. |
| 3 | Vapours may travel to source of ignition and flash back. |
| 4 | Liquid and vapour are flammable. |
| 5 | May emit poisonous fumes on fire. |
| 6 | Development of hazardous combustion gases or vapor possible in the event of fire. |
| 7 | May expansion or decompose explosively when heated or involved in fire. |

Fire precautions and protective measures

- | | |
|---|---|
| 1 | As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. |
| 2 | Fight fire from a safe distance, with adequate cover. |
| 3 | Prevent fire extinguishing water from contaminating surface water or the ground water system. |

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

- | | |
|----|--|
| 1 | Avoid breathing vapours and contacting with skin and eye. |
| 2 | Beware of vapours accumulating to form explosive concentrations. |
| 3 | Vapours can accumulate in low areas. |
| 4 | Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves. |
| 5 | Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. |
| 6 | Do not touch or walk through spilled material. |
| 7 | Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. |
| 8 | Use personal protective equipment, do not breathe gas/mist/vapour/spray. |
| 9 | Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. |
| 10 | Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |

Environmental precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

- 1 It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-static clothing.
- 2 In case of small amount of spillage, use clean non sparking tools to collect absorption materials.
- 3 In case of large amount of spillage, construct cofferdam or dig a hole to collect the spillage. Use foam cover to reduce evaporation. Water spray mist can reduce evaporation, but can not reduce the flammability of the leakage in the restricted space.
- 4 Collect absorbent material using a clean, non-sparking tool.
- 5 Cover with anti-solvent foam to reduce evaporation.
- 6 Cover with DRY earth, DRY sand or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain.
- 7 Water spray reduces evaporation but does not reduce the flammability of spills in confined spaces.
- 8 Do not touch or cross spills.
- 9 It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus and wear anti-virus suits.
- 10 Spray water disperses the vapor and dilutes the liquid spill.
- 11 Do not touch broken containers and spills before putting on appropriate protective clothing.
- 12 Cut off the source of the leak as much as possible.
- 13 Keep leaks in a ventilated place.
- 14 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 15 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.
- 16 Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container.
- 17 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7 Handling and storage

Handling

- 1 Avoid inhalation of vapors.
- 2 Use only non-sparking tools.
- 3 To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- 6 Wear suitable protective equipment.
- 7 Avoid contact with skin and eyes.
- 8 Keep away from heat/sparks/open flames/ hot surfaces.

Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

- Occupational Exposure limit values (Chemical Harmful Factors)

Component	Standard	OELs	Standard value mg/m ³	Critical adverse health effects	Remark
Ethylene Dichloride	GBZ 2.1-2019	PC-TWA	7	Central nervous system symptoms; eye and respiratory tract irritation; liver and kidney damage	G2B
		PC-STEL	15		
		MAC	-		

- Biological limit values

Biological limit values	
	No relevant regulations

- Monitoring methods

1	EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
2	GBZ/T 300 series standard Determination of toxic substances in workplace air.

Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

Personal protection equipment

General requirement	
	
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear anti static chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear anti static chemical protective clothing and anti static shoes.

9 Physical and chemical properties

Physical and chemical properties

Appearance	Colorless or light yellow transparent liquid
Odor	Chloroform like odor
Odor threshold	No information available
pH	No information available
Melting point/freezing point(°C)	-35.7
Initial boiling point and boiling range(°C)	83.5
Flash point(Closed cup,°C)	13
Evaporation rate	No information available

Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: 16; Lower limit: 6.2
Vapor pressure	8.7kPa
Vapor density(Air = 1)	3.42
Relative density(Water=1)	1.235
Solubility	Partly miscible with water
n-octanol/water partition coefficient	1.48
Auto-ignition temperature(°C)	413
Decomposition temperature(°C)	No information available
Viscosity	No information available

10 Stability and reactivity

Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	Reactions with metals form metal organic compounds.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Metal, oxidantss and alkali.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
Ethylene Dichloride	670mg/kg(Rat)	2800mg/kg(Rabbit)	No information available

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
Ethylene Dichloride	Category 2B	Category R

Others

Ethylene Dichloride(Component)	
Skin corrosion/irritation	Causes skin irritation(Category 2)
Serious eye damage/irritation	Causes serious eye irritation(Category 2A)
Skin sensitization	Based on available data, the classification criteria are not met
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	May cause respiratory irritation(Category 3)
STOT-repeated exposure	Based on available data, the classification criteria are not met

Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Reproductive toxicity(additional)	Based on available data, the classification criteria are not met

12 Ecological information

Acute aquatic toxicity

Component	Fish	Crustaceans	Algae
Ethylene Dichloride	LC ₅₀ : 136mg/L (96h)(Fish)	EC ₅₀ : 99mg/L (48h)(Crustaceans)	ErC ₅₀ : 230mg/L (72h)(Algae)

Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae
Ethylene Dichloride	NOEC: 41mg/L(Fish)	NOEC: 1.0mg/L(Crustaceans)	NOEC: 55mg/L(Algae)

Persistence and degradability

Persistence and degradability	No information available
--------------------------------------	--------------------------

Bioaccumulative potential

Bioaccumulative potential	No information available
----------------------------------	--------------------------

Mobility in soil

Mobility in soil	No information available
-------------------------	--------------------------

Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
Ethylene Dichloride	Not PBT/vPvB

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label	
---------------------------	---

IMDG-CODE

UN number	1184
UN proper shipping name	ETHYLENE DICHLORIDE
Transport hazard class	3
Transport subsidiary hazard class	6.1
Packing group	II
Special provisions	-
Limited quantities	1L
Excepted quantities	E2
Marine pollutant (Yes or no)	No
EmS No.	F-E,S-D

IATA-DGR

UN number	1184
UN proper shipping name	ETHYLENE DICHLORIDE
Transport hazard class	3
Transport subsidiary hazard class	6.1
Packing group	II
Excepted quantities	E2
Passenger and Cargo Aircraft Limited Quantity Packing Instructions	Y341
Passenger and Cargo Aircraft Limited Quantity Maximum net Quantity per Package	1 L
Passenger and Cargo Aircraft Packing Instructions	352
Passenger and Cargo Aircraft Maximum net Quantity per Package	1 L
Cargo Aircraft Packing Instructions	364
Cargo Aircraft Maximum net Quantity per Package	60 L
Special provisions	-
ERG code	3P

UN-ADR

UN number	1184
UN proper shipping name	ETHYLENE DICHLORIDE
Transport hazard class	3
Transport subsidiary hazard class	6.1
Packing group	II
Special provisions	-

Limited quantities	1 L
Excepted quantities	E2
Packing instructions	P001 IBC02
Special packing provisions	-
Mixed packing provisions	MP19
Portable tanks and bulk containers instructions	T7
Portable tanks and bulk containers special provisions	TP1
ADR tank code	L4BH
ADR tank special provisions	TU15
Vehicle for tank carriage	FL
Transport category(Tunnel restriction code)	2 (D/E)
Special provisions for carriage(Packages)	-
Special provisions for carriage (Bulk)	-
Special provisions for carriage (Loading, unloading and handling)	CV13 CV28
Special provisions for carriage (Operation)	S2 S19
Hazard identification No.	336
Notes	-

Others

Methods of packing	<p>Metal drum, removable head. Ampoule outside the ordinary wooden box. Threaded glass, metal cover pressure bottles, plastic bottles or metal (cans) outside the ordinary wooden box etc. Thread mouth glass bottles, plastic bottles or tinsplate barrels (LP), full floor grille boxes, fibreboard or plywood box etc. Packaging as recommended by manufacturer.</p>
Precautions for transport	<p>Transit should be anti-exposure, rain, high temperature. Strictly prohibited shipping or transportation with acids, alkalis, oxidants, food and food additives etc. Shipment of the goods vehicle exhaust pipe must be equipped with fire retardant devices, prohibit using mechanical equipment and tools of which easy to produce sparks. Transit should be anti-exposure, anti-rain, anti-high temperature. Transportation used tank (tank) cars should be grounded chain, tank can be installed to reduce the partition hole static electricity shocks. Strictly prohibited shipping or transportation with oxidants, acids, food and food additives etc. When bulk transport, Prohibit the use of cement or wooden boats. Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.</p>

15 Regulatory information

International chemical inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AIC	ENCS
Ethylene Dichloride	√	√	√	√	√	√	√	√	√

[EINECS]	European Inventory of Existing Commercial Chemical Substances
[TSCA]	United States Toxic Substances Control Act Inventory
[DSL]	Canadian Domestic Substances List
[IECSC]	China Inventory of Existing Chemical Substances
[NZIoC]	New Zealand Inventory of Chemicals
[PICCS]	Philippines Inventory of Chemicals and Chemical Substances
[KECI]	Korea Existing Chemicals Inventory
[AIC]	Australia. Inventory of Industrial Chemicals (AIC)
[ENCS]	Japan Inventory of Existing & New Chemical Substances

Chinese chemical inventory

Component	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Ethylene Dichloride	√	×	×	×	×	×	×	×	×	×	×	×	×	×	×

- [A] Catalog of Hazardous Chemicals(2015 Edition), Notice 5th 2015, the former China State Administration of Work Safety together with the Ministry of Industry and Information Technology, etc.
- [B] List of Toxic Chemicals Restricted in China, Notice 60th 2019, the Ministry of Ecology and Environment, Ministry of Commerce, General Administration of Customs.
- [C] List of Ozone Depletion Chemicals Controlled to be Imported/Exported in China (First to Sixth batches) , Notice from 2000 to 2012, the former Ministry of Environmental Protection of PRC.
- [D] Catalog of Hazardous Chemicals for Priority Management (First and Second batches) , Notice 95th, 2011, Notice 12th 2013, China State Administration of Work Safety.
- [E] Catalog of Hazardous Chemicals for Environmental Management, Notice 33th 2014, The former Ministry of Environmental Protection.
- [F] List of Various Monitoring Chemicals, 52th 2020, the Ministry of Industry and Information Technology.
- [G] List of Priority Controlled Chemicals (the First batch), 83th 2017, the former Ministry of Environmental Protection, Ministry of Industry and Information Technology, the former National Health And Family Planning Commission.
- [H] Catalog of Specially Controlled Hazardous Chemicals (First Edition), 1st 2020, the Ministry of Emergency Management, Ministry of Industry and Information Technology, Ministry of Public Security, Ministry of Transport.
- [I] List of Toxic and Harmful Water Pollutants (First batch), 28th 2019, the Ministry of Ecology and Environment, National Health Commission.
- [J] Catalog of Highly Toxic Chemicals, Notice 142th 2003, the former Ministry of Health of P.R.China.
- [K] Dangerous Chemicals Directory Used to Manufacture Exploder (2017 Edition), Notice 11th May. 2017, Ministry of Public Security of P.R.China.
- [L] Catalog of Stupefacent and Psychotropic Substances(2013 Edition), Notice 230th 2013, China Food and Drug Administration.
- [M] Catalog of Classification and Varieties of Precursor Chemicals, 120th 2017, series of announcements issued by the Ministr of Public Security and other ministries and commissions.
- [N] Catalog of Import and Export Management of Precursor Chemicals, 7th 2006, the Ministry of Commerce.
- [O] International Verification of Precursor Chemicals Management Catalog, 8th 2006, the Ministry of Commerce, Ministry of Public Security.

Note:

- “√” Indicates that the substance included in the regulations.
- “×” No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2022/02/18
Revision Date	2022/02/18
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>.
- [2] IARC, website: <http://www.iarc.fr/>.
- [3] OECD: The Global Portal to Information on Chemical Substances, website: <https://www.chemportal.org/chemportal/substancesearch/index.action>.
- [4] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>.
- [5] NLM: ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>.
- [6] EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>.
- [7] U.S. Department of Transportation: ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>.
- [8] Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG	International Maritime Dangerous Goods
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC _x	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P _{ow}	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor		

Disclaimer

This Safety Data Sheet (SDS) was prepared according to GB/T 16483 and GB/T 17519. The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.